



Inventor: CARLSON  
 Docket No.: 14095.5SUSU1  
 Title: ARTIFICIAL RECEPTORS INCLUDING REVERSIBLY IMMOBILIZED BUILDING  
 BLOCKS AND METHODS  
 Serial No.: 10/813,612  
 Sheet 1 of 41






FIG.1

**FIG.2B**



**FIG.2A**







FIG.3



**FIG.4**

FIG.5B






FIG.5A




**N=81 Building Blocks**

<b>n=3 =&gt;</b>	<b>85,320</b>
<b>n=4 =&gt;</b>	<b>1,663,740</b>
<b>n=5 =&gt;</b>	<b>25,621,596</b>
<b>n=6 =&gt;</b>	<b>328,810,482</b>
<b>n=7 =&gt;</b>	<b>3,522,969,450</b>
<b>n=8 =&gt;</b>	<b>32,587,467,412</b>




**FIG.6**

**FIG.7**



**FIG.8**



**FIG.9**




FIG.10A





FIG. 10B






FIG.11




FIG. 12

Origin = 28, 140 pixels  
(0.28, 1.4 mm)  
Size = 2032 x 1888 pixels  
(20.32 x 18.88 mm)  
Scaling = 10  $\mu$ m/pixel  
Scanner = GenePix 4100A 01 [92896]  
No averaging.  
PMT Gain = 940  
Laser Power = 100%  
Normalization Factor = 1  
Focus Position = 0





FIG. 13









FIG.15







**F|G.17**



**FIG.19**









FIG.21






FIG. 23





FIG. 24






FIG.26




FIG.27







FIG.28










FIG. 32

Origin = 4, 0 pixels  
(0.04, 0 mm)  
Size = 2180 x 1368 pixels  
(21.8 x 13.68 mm)  
Scaling = 10 $\mu$ m/pixel  
Scanner = GenePix 4100A 01 [92896]  
No averaging.  
PMT Gain = 600  
Laser Power = 100%  
Normalization Factor = 1  
Filter = 670DF40  
Focus Position = 0




FIG. 33

Origin = 4, 0 pixels  
(0.04, 0 mm)  
Size = 2180 x 1068 pixels  
(21.8 x 10.68 mm)  
Scaling = 10 $\mu$ m/pixel  
Scanner = GenePix 4100A 01 [92896]  
No averaging.  
PMT Gain = 600  
Laser Power = 100%  
Normalization Factor = 1  
Filter = 670DF40  
Focus Position = 0




FIG. 34

Origin = 4, 0 pixels  
(0.04, 0 mm)  
Size = 2180 x 1368 pixels  
(21.8 x 13.68 mm)  
Scaling = 10 $\mu$ m/pixel  
Scanner = GenePix 4100A 01 [92896]  
No averaging.  
PMT Gain = 600  
Laser Power = 100%  
Normalization Factor = 1  
Filter = 670DF40  
Focus Position = 0





FIG. 35

Origin = 4, 0 pixels  
(0.04, 0 mm)  
Size = 2180 x 1368 pixels  
(21.8 x 13.68 mm)  
Scaling = 10 $\mu$ m/pixel  
Scanner = GenePix 4100A 01 [92896]  
No averaging.  
PMT Gain = 560  
Laser Power = 100%  
Normalization Factor = 1  
Filter = 670DF40  
Focus Position = 0

**FIG.36**



**FIG.37**






FIG. 38



**F||G.39**






FIG. 40

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER: \_\_\_\_\_**

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**